

Povprečen absolutni odklon

A. Blejec

November 16, 2009

Abstract


⊗

Contents

[1 Kdaj ima minimum?](#) 1

1 Kdaj ima minimum?

```
> n <- 20
> x <- rnorm(n)
> plot(x, 1:n, axes = FALSE, ylab = "", xlab = "A", pch = 16)
> axis(1)
> for (A in seq(-4, 4, 0.05)) {
+   ad <- sum(abs(x - A))/n
+   points(A, ad * 10, pch = 16, col = "red")
+ }
> abline(v = median(x))
```



SessionInfo

Windows XP (build 2600) Service Pack 3

- R version 2.10.0 (2009-10-26), i386-pc-mingw32
- Locale: LC_COLLATE=Slovenian_Slovenia.1250,
LC_CTYPE=Slovenian_Slovenia.1250,
LC_MONETARY=Slovenian_Slovenia.1250, LC_NUMERIC=C,
LC_TIME=Slovenian_Slovenia.1250
- Base packages: base, datasets, graphics, grDevices, methods, splines, stats,
utils
- Other packages: Hmisc 3.7-0, survival 2.35-7
- Loaded via a namespace (and not attached): cluster 1.12.1, grid 2.10.0,
lattice 0.17-26